


Product Specifications

- 1" thick tops only, 2mm PVC edge-banding, pilot holes for post leg brackets only and metal inserts for ganging brackets.
- Maverick Series has radiused corners, Arrovo Series has square corners.
- Available in 20 standard colors, see color chart for upcharge information. Two colors may be specified at no charge.
- No up-charge for contrasting color edge-banding.
- Legs and ganging hardware are ordered separately from the tops and are not factory installed.
- All training and height adjustable tables can be assembled upon request at no charge.
- Tops are predrill for leg/base where specified on leg/base style items.

How to Order Training Tables

WORKSURFACE UNITS



Series Name: Maverick with radius corners is MM, Arroyo with square corners is AR.

- 2. Specify worksurface color Choose from 20 standard colors.
- 3. Specify edge-banding color Matching top color is standard.
- 4. Specify other accessories and upgrades. Grommet options page 164 see grommet locations below.
- 5. Legs are ordered separately. Specify from available legs on page 161-163.
- 6. Ganging and connecting hardware is ordered separately. See page 164.

MAVERICK SERIES (MM)

EDGE PROFILE-RADIUS



BANDING ON TOPS

ARROYO SERIES (AR)

EDGE PROFILE-SOUARE




GROMMET OPTIONS


BLACK AND SILVER




TRAINING TABLE TOP STANDARD GROMMET LOCATIONS (Unless otherwise specified)

Note: While sitting at unit, grommet locations are named from left to right. Line drawings shown below are standard locations.














Arroyo (AR)









Arroyo

Training Worksurfaces 🏈

Rectangular Training Table Top, 20"D Tops (MM-radius edges, AR-square edges)										
Model#	Depth	Width	Height	Weight	Cube	MM Price	AR Price			
TR2036	20"	36"	1"	23	1	\$222	\$198			
TR2042	20"	42"	1"	27	1	\$227	\$204			
TR2048	20"	48"	1"	30	1	\$239	\$216			
TR2054	20"	54"	1"	34	1	\$252	\$228			
TR2060	20"	60"	1"	38	1	\$289	\$259			
TR2066	20"	66"	1"	42	1	\$306	\$276			
TR2072*	20"	72"	1"	45	1	\$330	\$300			
TR2078*	20"	78"	1"	49	1	\$379	\$342			
TR2084*	20"	84"	1"	53	1	\$414	\$372			

Note: When ordering, insert MM for Maverick Series or AR for Arroyo Series. Wood grain runs the width direction.

*Tops: 72"W, 78"W & 84"W require 5-Post Legs.
Stabilizer Bar: 2 are included with 60"W, 66"W & 72"W tops, when ordered with post legs.

Max weight 50 lbs. Pre Drill Holes: Tops are pre-drill for 4-Post Legs MMLEGTRB – MMLEGTRSC.

Maverick	

Arroyo

Rectangular Training Table Top, 24"D Tops (MM-radius edges, AR-square edges)										
Model#	Depth	Width	Height	Weight	Cube	MM Price	AR Price			
TR2436	24"	36"	1"	30	1	\$300	\$270			
TR2442	24"	42"	1"	32	1	\$311	\$281			
TR2448	24"	48"	1"	36	1	\$324	\$295			
TR2454	24"	54"	1"	40	1	\$336	\$306			
TR2460	24"	60"	1"	45	1	\$347	\$311			
TR2466	24"	66"	1"	50	1	\$366	\$330			
TR2472*	24"	72"	1"	54	1	\$379	\$342			
TR2478*	24"	78"	1"	59	1	\$414	\$372			
TR2484*	24"	84"	1"	63	1	\$438	\$395			

Note: When ordering, insert MM for Maverick Series or AR for Arroyo Series. Wood grain runs the width direction. *Tops: 72"W, 78"W & 84"W require 5-Post Legs.

Stabilizer Bar: 2 are included with 60"W, 66"W & 72"W tops, when ordered with post legs.

Max weight 50 lbs.

Pre Drill Holes: Tops are pre-drill for 4-Post Legs MMLEGTRB - MMLEGTRSC.

Ganging Hardware: Is recommended when placing tops side by side. F Lead Time.

Maverick	

Arroyo

Rectangular Training Table Top, 30"D Tops (MM-radius edges, AR-square edges)										
Model#	Depth	Width	Height	Weight	Cube	MM Price	AR Price			
TR3048	30"	48"	1"	45	1	\$311	\$281			
TR3054	30"	54"	1"	51	1	\$318	\$289			
TR3060	30"	60"	1"	57	1	\$348	\$311			
TR3066	30"	66"	1"	62	1	\$384	\$348			
TR3072*	30"	72"	1"	68	2	\$419	\$379			
TR3078*	30"	78"	1"	74	2	\$478	\$431			
TR3084*	30"	84"	1"	79	2	\$529	\$479			

Note: When ordering, insert MM for Maverick Series or AR for Arroyo Series. Wood grain runs the width direction. *Tops: 72"W, 78"W & 84"W require 5-Post Legs.

Stabilizer Bar: 2 are included with 60"W, 66"W & 72"W tops, when ordered with post legs.

Max weight 50 lbs.

Pre Drill Holes: Tops are pre-drill for 4-Post Legs MMLEGTRB - MMLEGTRSC.


Ganging Hardware: Is recommended when placing tops side by side. 🎏 Lead Time.






Maverick (MM) Radius Edges


Arroyo (AR) Square Edges




Mayerick



Arroyo







Rectangular Training Table Top, 36"D Tops (MM-radius edges, AR-square edges)									
Model#	Depth	Width	Height	Weight	Cube	MM Price	AR Price		
TR3660	36"	60"	1"	68	1	\$461	\$419		
TR3666	36"	66"	1"	75	1	\$498	\$450		
TR3672*	36"	72"	1"	81	2	\$522	\$474		

Note: When ordering, insert MM for Maverick Series or AR for Arroyo Series. Wood grain runs the width direction. Top: 72"W requires 5-post legs.

Stabilizer Bar: 2 are included with 60"W, 66"W & 72"W tops, when ordered with post legs.

Max weight 50 lbs.

Pre Drill Holes: Tops are pre-drill for 4-Post Legs MMLEGTRB - MMLEGTRSC.

Ganging Hardware: Is recommended when placing tops side by side. F Lead Time.

Curved Training Table Top (Must be ganged with another top for stability)									
Model#	Depth	Width	Height	Weight	Cube	MM Price	AR Price		
TRQ2460L	24"	60"	1"	27	1	\$355	\$319		
TRQ2460R	24"	60"	1"	27	1	\$355	\$319		
TRQ3060L	30"	60"	1"	33	2	\$392	\$355		
TRQ3060R	30"	60"	1"	33	2	\$392	\$355		

Note: When ordering, insert MM for Maverick Series or AR for Arroyo before model number.

On "L" units, from users' view, woodgrain direction is parallel with right edge and perpendicular with left edge. On "R" units wood-grain is parallel with the left edge and perpendicular with the right edge.

If not ganged, order 5th leg for stability.

Pre Drill Holes: Tops are pre-drill for Post Legs MMLEGTRB – MMLEGTRS.

Ganging Hardware: Is recommended when placing tops side by side. F Lead Time.

Half-Round Training Table Top (48" & 60" require four legs and two ganging plates)									
Model#	Depth	Width	Height	Weight	Cube	MM Price	AR Price		
TRWH1224	12"	24"	1"	6	1	\$177	\$141		
TRWH1224WG24	12"	24"	1"	6	1	\$177	\$141		
TRWH1530	15"	30"	1"	10	1	\$215	\$178		
TRWH1530WG30	15"	30"	1"	10	1	\$215	\$178		
TRWH2448	24"	48"	1"	24	1	\$447	\$410		
TRWH3060	30"	60"	1"	37	1	\$534	\$410		

Note: When ordering, insert MM for Maverick Series or AR for Arroyo before model number.

Woodgrain direction runs the depth to coordinate with woodgrain direction on rectangular worksurfaces. 12" & 15" deep require only 1 leg and 1 ganging plate.

12" & 15" deep (WG24 & WG30), the woodgrain runs the width to coordinate with the grain on 1 end of curved units. Pre Drill Holes: Tops are pre-drill for Post Legs MMLEGTRB – MMLEGTRS.

Ganging Hardware: Is recommended when placing tops side by side.

Description:

\longleftarrow W \longrightarrow	
	Maverick
← D →	
$\longleftarrow W \longrightarrow$	
	Arroyo

Curved Corner Training Table Top (48" & 60" require four legs and two ganging plates)									
Model#	Depth	Width	Height	Weight	Cube	MM Price	AR Price		
TRCWS424224	24"	42"/ 42"	1"	24	1	\$460	\$410		
TRCWS424230	30"	42"/ 42"	1"	24	1	\$460	\$410		
TRCWS484824	24"	48"/ 48"	1"	30	1	\$535	\$476		
TRCWS484830	30"	48"/ 48"	1"	30	1	\$535	\$535		
TRCWS606024	24"	60"/60"	1"	47	1	\$669	\$601		
TRCWS606030	30"	60"/60"	1"	47	1	\$669	\$601		


Note: When ordering, insert MM for Maverick Series or AR for Arroyo before model number. Pre Drill Holes: Tops are pre-drill for Post Legs MMLEGTRB - MMLEGTRS. Ganging Hardware: Is recommended when placing tops side by side. CF Lead Time.






Arroyo (AR) Square Edges









Training Worksurfaces (15)



Curved Computer Training Table Top 24"D Right Connection (MM-Radius Edges, AR-Square Edges)									
Model#	Depth	Width	Corner	Height	Weight	Cube	MM Price	AR Price	
CDQ60T0P4R	24"/ 24"	60"	36"	1"	68	2	\$543	\$483	
CDQ66T0P 4R	24"/ 24"	66"	36"	1"	68	2	\$571	\$512	
CDQ72T0P 4R	24"/ 24"	72"	36"	1"	79	2	\$588	\$530	
CDQ72TOP 9R	30"/ 24"	72"	42"	1"	79	2	\$622	\$564	

Note: When ordering, Insert MM for Maverick Series or AR for Arroyo Series. Wood grain runs the width direction. Maverick series tops have three radius corners.

Predrill Holes: Tops are not predrilled. Must order with return top. Designed for Adjustable Height L-UNIT Base only. Grommet: Standard black grommet, location 7"x7" upgrade grommet to color silver n/c.

LEAD TIME

Curved Computer Training Table Top 24"D Left Connection (MM-Radius Edges, AR-Square Edges)									
Model#	Depth	Width	Corner	Height	Weight	Cube	MM Price	AR Price	
CDQ60T0P4L	24"/ 24"	60"	36"	1"	68	2	\$543	\$483	
CDQ66T0P 4L	24"/ 24"	66"	36"	1"	68	2	\$571	\$512	
CDQ72T0P 4L	24"/ 24"	72"	36"	1"	68	2	\$588	\$530	
CDQ72TOP 9L	24"/30"	72"	42"	1"	68	2	\$622	\$564	

Note: When ordering, Insert MM for Maverick Series or AR for Arroyo Series. Wood grain runs the width direction. Maverick series tops have three radius corners.

Predrill Holes: Tops are not predrilled. Must order with return top. Designed for Adjustable Height L-UNIT Base only.

Grommet: Standard black grommet, location 7"x7" upgrade grommet to color silver n/c.

▲ LEAD TIME


Rectangular Tra	ining Retu	rn Top, 2	4"D Tops	(MM-Radius	s Edges, AR	l-Square Edges)	
Model#	Depth	Width	Height	Weight	Cube	MM Pri	ce AR Price
TRT2436	24"	36"	1"	30	1	\$34	13 \$312
TRT2442	24"	42"	1"	32	1	\$35	54 \$324
TRT2448	24"	48"	1"	36	1	\$36	66 \$337

Note: When ordering, Insert MM for Maverick Series or AR for Arroyo Series. Return top wood grain runs vertical direction. Maverick series tops have two radius edges.

Predrill Holes: Tops are not predrilled. Must order with computer table top. Designed for Adjustable Height L-UNIT Base only.

Connecting Hardware: 2 connecting brackets with wood screws are included.

⚠ LEAD TIME



Bases, for Training Table Tops

(Leg heights vary and cannot be combined)



Post Leg 2 3/8'	' diameter (Set of 4 legs) for Training	Table Tops		
Model#	Description	Color	Height	Price
₹ MMLEGTRB	4 Posts with Leveler	Black	27 ¹³ / ₁₆ "	\$414
₹ MMLEGTRS	4 Posts with Leveler	Brushed Steel	27 13/16"	\$414
₹ MMLEGTRBC	4 Posts with Locking Casters	Black	27 ¹⁵ / ₁₆ "	\$414
₹ MMLEGTRSC	4 Posts with Locking Casters	Brushed Steel	27 ¹⁵ / ₁₆ "	\$414
◆ MMCULEG	1 Individual Post Leg		27 15/16"	\$104

For individual post legs...\$104 each. Specify complete model #MMCULEG_ _ (e.g. MMCULEGTRB) Individual post leg includes mounting screws.

Legs are shipped un-installed and require minor assembly with woodscrews for each leg. Tops 72"W, 78"W & 84"W requires 5-post legs. Tops are pre-drilled for 4-post legs only.

₹ LEAD TIME



Flip Top Base w	ith Modes	sty, Locki	ng Casters	S (Complete leg, bla	ack color (only)		
Model#	Depth	Width	Height	Fits Top Size	Color	Weight	Cube	Price
€ MMLEGFB4836	20"	24"	28 ½"	36" & 48"W	Black	42	1	\$468
✓ MMI FGFR7260	20"	58"	28 1/2"	60" & 72"W	Black	42	1	\$635

For rectangular tops 20"D & 24"D only. See p. 158.
Bases ship unassembled unless otherwise specified. Tops are pre-drilled for flip top bases.
Ganging hardware is recommended when placing tops side by side, see p. 164.

₹ LEAD TIME



Flip Top Base with	n Frame M	odesty, Lo	ocking Ca	sters (1 complet	e leg)			
Model#	Depth	Width	Height	Fits Top Size	Color	Weight	Cube	Price
MMLEGFFMB48S	14/20"	40 1/4"	28 1/2"	48" & 54"W	Silver	36	1	\$504
MMLEGFFMB48B	14/20"	40 1/4"	28 1/2"	48" & 54"W	Black	36	1	\$504
MMLEGFFMB48W	14/20"	40 1/4"	28 1/2"	48" & 54"W	White	36	1	\$504
MMLEGFFMB60S	14/20"	52"	28 1/2"	60" & 66"W	Silver	40	1	\$560
MMLEGFFMB60B	14/20"	52"	28 1/2"	60" & 66"W	Black	40	1	\$560
MMLEGFFMB60W	14/20"	52"	28 1/2"	60" & 66"W	White	40	1	\$560
MMLEGFFMB72S	14/20"	63 1/4"	28 1/2"	72" & 78"W	Silver	43	1	\$655
MMLEGFFMB72B	14/20"	63 1/4"	28 1/2"	72" & 78"W	Black	43	1	\$655
MMLEGFFMB72W	14/20"	63 1/4"	28 1/2"	72" & 78"W	White	43	1	\$655


For rectangular tops 20"D & 24"D only, see p. 158.

Note: color silver (Titanium/Metal) does not match other silver legs.

Bases ship unassembled unless otherwise specified. Tops are not pre-drill.

LEAD TIME

Bases, for Training Table Tops



Does not include top. 2 stage base. Bases ship unassembled unless otherwise specified.



Handset	Push Button/4 memory presets
Motor	Dual motor
Foot Length	28"
Height range (excluding top)	23.5" - 49"
Frame width	Width adjustable 48" - 72"
Worksurface widths	48" - 72"
Worksurface depths	24" & 30"
Max lifting capacity	250lbs.
Base Weight	66lbs.
Speed	30mm/s
Warranty	5 years


Adjustable Height	Electric	al L-Unit I	Base (Sit to	stand, fits top si	zes belov	w)		
Model#	Base(D)	Base (W)	Height	Fits Top Size	Color	Weight	Cube	Price
MMLEGAHEL24B3	22"	48-72"	23 1/2-49"	24"D-72"W	Black	112	1	\$2,407
MMLEGAHEL24S3	22"	48-72"	23 1/2-49"	24"D-72"W	Silver	112	1	\$2,407
MMLEGAHEL24W3	22"	48-72"	23 1/2-49"	24"D-72"W	White	112	1	\$2,407
MMLEGAHEL30S3	28"	48-72"	23 1/2-49"	30"D-72"W	Silver	112	1	\$2,407
MMLEGAHEL30W3	28"	48-72"	23 1/2-49"	30"D-72"W	White	112	1	\$2,407
MMLEGAHEL30B3	28"	48-72"	23 1/2-49"	30"D-72"W	Black	112	1	\$2,407

Does not include top. 3 stage base. Bases ship unassembled unless otherwise specified.




Handset	Push Button/4 memory presets
Motor	Triple motor
Foot Length	28"
Height range (excluding top)	23.5" - 49"
Frame width	Width adjustable 48" - 72"
Worksurface widths	48" - 72"
Worksurface depths	24" & 30"
Max lifting capacity	300lbs.
Base Weight	112lbs.
Speed	33mm/s
Warranty	5 years





Bases, for Training Table Tops



Column diameter 2 1/4", mounting plate 6"D x 8"W. Base Spread: 20"D is 20"W. 30"D is 26"W. Stabilizer Bar: 1 is included with 60"W, 66"W & 72"W tops, when ordered with T-Legs. Legs ship unassembled unless other wise specified. LEAD TIME

Column diameter 2 1/4", mounting plate 6"D x 8"W. Base Spread: 20"D is 20"W. 30"D is 26"W.

Stabilizer Bar: 1 is included with 60"W, 66"W & 72"W tops, when ordered with T-Legs.

Legs ship unassembled unless otherwise specified. (15) LEAD TIME

T-Leg with Cast	ters (Set o	f 2 legs, lo	cking caste	ers)				
Model#	Depth	Width	Height	Fits Top Size	Color	Weight	Cube	Price
MMLEGTC20S	20"	2 1/4"	28"	20/24"D-72"W	Silver	23	4	\$765
MMLEGTC20B	20"	2 1/4"	28"	20/24"D-72"W	Black	23	4	\$765
MMLEGTC20W	20"	2 1/4"	28"	20/24"D-72"W	White	23	4	\$765
MMLEGTC30S	30"	2 1/4"	28"	30/36"D-72"W	Silver	23	4	\$821
MMLEGTC30B	30"	2 1/4"	28"	30/36"D-72"W	Black	23	4	\$821
MMLEGTC30W	30"	2 1/4"	28"	30/36"D-72"W	White	23	4	\$821

Flip Top Base w	ith Level	er (Set of :	2 legs)					
Model#	Depth	Width	Height	Fits Top Size	Color	Weight	Cube	Price
MMLEGTFL20S	20"	2 1/4"	28"	20/24"D-72"W	Silver	23	4	\$990
MMLEGTFL20B	20"	2 1/4"	28"	20/24"D-72"W	Black	23	4	\$990
MMLEGTFL20W	20"	2 1/4"	28"	20/24"D-72"W	White	23	4	\$990
MMLEGTFL30S	30"	2 1/4"	28"	30/36"D-72"W	Silver	23	4	\$1,027
MMLEGTFL30B	30"	2 1/4"	28"	30/36"D-72"W	Black	23	4	\$1,027
MMLEGTFL30W	30"	2 1/4"	28"	30/36"D-72"W	White	23	4	\$1,027

Column diameter 2 1/4", Flip Top Mechanism is mechanically attached to the base.

Base Spread: 20"D is 20"W. 30"D is 26"W. Use with rectangular tops, see pp. 158-159.

Stabilizer Bar: 1 is included with 60"W, 66"W & 72"W tops, when ordered with Flip Top Base.

Base ship unassembled unless otherwise specified.

Flip Top Base wi	th Caste	'S (Set of 2	legs, locki	ing casters)				
Model#	Depth	Width	Height	Fits Top Size	Color	Weight	Cube	Price
MMLEGTFC20S	20"	2 1/4"	28"	20/24"D-72"W	Silver	23	4	\$1,042
MMLEGTFC20B	20"	2 1/4"	28"	20/24"D-72"W	Black	23	4	\$1,042
MMLEGTFC20W	20"	2 1/4"	28"	20/24"D-72"W	White	23	4	\$1,042
MMLEGTFC30S	30"	2 1/4"	28"	30/36"D-72"W	Silver	23	4	\$1,079
MMLEGTFC30B	30"	2 1/4"	28"	30/36"D-72"W	Black	23	4	\$1,079
MMLEGTFC30W	30"	2 1/4"	28"	30/36"D-72"W	White	23	4	\$1,079

Column diameter 2 1/4", Flip Top Mechanism is mechanically attached to the base.

Base Spread: 20"D is 20"W. 30"D is 26"W. Use with rectangular tops, see pp. 158-159.

Stabilizer Bar: 1 is included with 60"W, 66"W & 72"W tops, when ordered with Flip Top Base.

Base ship unassembled unless otherwise specified.



NOTE: All bases on this page, for heavy use on 60"W or wider tops, a second stabilizer bar is recommended, see p. 164 for sizes and pricing.






Depth and Height includes clips. Tops are predrilled to accept modesty.

TFM Hinged Modesty (3/4" thick. Black Clips)

Modesty Panels








Model#	υepτn	wiatn	Height	Clips	iop wiatn	weignt	Cube	Price
MMTRWM54	3"	41"	13 ½"	2	54"	10	2	\$265
MMTRWM60	3"	47"	13 ½"	2	60"	11	2	\$284
MMTRWM66	3"	53"	13 ½"	3	66"	12	2	\$349
MMTRWM72	3"	59"	13 1/2"	3	72"	13	2	\$349

Designed to fit T-Legs and Flip Top Bases, see p. 163. Modesty Panel: 20"D & 24"D is flush, 30"D is inset 6". Depth and Height includes clips. Tops are predrilled to accept modesty.




\$131
\$150
\$159
\$159

NOTE: Modesty panel standard location is center left to right to approach side under tops. For custom location must specify, add MMCUT3 \$179.

Accessories and Upgrades







Ganging and Connecting Hardware (For use with factory-installed metal inserts)							
Model#	Depth	Width	Height	Hardware	Weight	Cube	Price
MMGANG3	4"	6"	.25"	Ganging	1	1	\$43
MMGANG4	4"	6"	.25"	Connecting	1	1	\$43


MMGANG3: (1) Bracket & (4) Knobs. Recommended when placing tops side by side. MMGANG4: (1) Bracket & (4) Screws. Can be used for "L" shape & "U" shape connections.





Grommet							
Model#	Depth	Width	Color	Surface Hole Diameter	Price		
MMGR234B	3"	3"	Black Plastic	2 3/4"	\$56		
MMGR234S	3"	3"	Silver Plastic	2 3/4"	\$56		

Specify grommet locations. Standard left, right or center, see p. 157 for standard location.



Stabilizer Bar, Black								
Depth	Width	Height	Fits Top	Weight	Cube	Price		
2"	44"	2"	60"W	6	1	\$85		
2"	50"	2"	66"W	7	1	\$92		
2"	56"	2"	72"W	8	1	\$99		
	Depth 2" 2"	Depth Width 2" 44" 2" 50"	Depth Width Height 2" 44" 2" 2" 50" 2"	Depth Width Height Fits Top 2" 44" 2" 60"W 2" 50" 2" 66"W	Depth Width Height Fits Top Weight 2" 44" 2" 60"W 6 2" 50" 2" 66"W 7	Depth Width Height Fits Top Weight Cube 2" 44" 2" 60"W 6 1 2" 50" 2" 66"W 7 1		

May be purchased separately.

2 Stabilizer bars are included with 60"W, 66"W & 72"W tops, when purchased with top and post legs.